10/523,820

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1600txm

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	FEB 27	New STN AnaVist pricing effective March 1, 2006
NEWS	4	MAY 10	CA/CAplus enhanced with 1900-1906 U.S. patent records
NEWS	5	MAY 11	KOREAPAT updates resume
NEWS	6	MAY 19	Derwent World Patents Index to be reloaded and enhanced
NEWS	7	MAY 30	IPC 8 Rolled-up Core codes added to CA/CAplus and USPATFULL/USPAT2
NEWS	8	MAY 30	The F-Term thesaurus is now available in CA/CAplus
NEWS	9	JUN 02	The first reclassification of IPC codes now complete in INPADOC
NEWS	10	JUN 26	TULSA/TULSA2 reloaded and enhanced with new search and and display fields
NEWS	11	JUN 28	Price changes in full-text patent databases EPFULL and PCTFULL
NEWS	12	JUl 11	CHEMSAFE reloaded and enhanced
NEWS	13	JUl 14	FSTA enhanced with Japanese patents
NEWS	14	JUl 19	Coverage of Research Disclosure reinstated in DWPI
NEWS	15	AUG 09	INSPEC enhanced with 1898-1968 archive
NEWS	16	AUG 28	ADISCTI Reloaded and Enhanced
NEWS	17	AUG 30	CA(SM)/CAplus(SM) Austrian patent law changes
NEWS	18	SEP 11	CA/CAplus enhanced with more pre-1907 records

NEWS EXPRESS JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8
NEWS X25	X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 10:22:52 ON 12 SEP 2006

McIntosh

```
=> file reg
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.21       0.21

FILE 'REGISTRY' ENTERED AT 10:23:01 ON 12 SEP 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:   11 SEP 2006  HIGHEST RN 906423-10-7
DICTIONARY FILE UPDATES:  11 SEP 2006  HIGHEST RN 906423-10-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10523820.str

L1      STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1              STR
```



G1 C,S

G2 Cb,Hy,Ak

Structure attributes must be viewed using STN Express query preparation.

```
=> s l1 sss sam
SAMPLE SEARCH INITIATED 10:23:31 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -        5 TO ITERATE

100.0% PROCESSED         5 ITERATIONS                                0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:             5 TO      234
PROJECTED ANSWERS:                0 TO        0

L2             0 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 10:23:47 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      124 TO ITERATE

100.0% PROCESSED       124 ITERATIONS                                0 ANSWERS
SEARCH TIME: 00.00.01

L3             0 SEA SSS FUL L1

=>
Uploading C:\Program Files\Stnexp\Queries\10523820a.str

L4       STRUCTURE UPLOADED
```

McIntosh

```
=> s l4 sss sam
SAMPLE SEARCH INITIATED 10:25:47 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -     3572 TO ITERATE

 56.0% PROCESSED     2000 ITERATIONS                                50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:        67856 TO    75024
PROJECTED ANSWERS:            3152 TO     4848

L5           50 SEA SSS SAM L4

=> s l4 exact
SAMPLE SEARCH INITIATED 10:25:56 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -        7 TO ITERATE

100.0% PROCESSED        7 ITERATIONS                                0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:             7 TO      298
PROJECTED ANSWERS:                0 TO        0

L6            0 SEA EXA SAM L4

=> s l4 exact full
FULL SEARCH INITIATED 10:26:09 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      158 TO ITERATE

100.0% PROCESSED      158 ITERATIONS                                1 ANSWERS
SEARCH TIME: 00.00.01

L7            1 SEA EXA FUL L4

=> d l7

L7   ANSWER 1 OF 1  REGISTRY  COPYRIGHT 2006 ACS on STN
RN   66948-38-7  REGISTRY
ED   Entered STN:  16 Nov 1984
CN   1H-Pyrazole, 4-(phenylmethyl)- (9CI)  (CA INDEX NAME)
OTHER NAMES:
CN   4-Benzylpyrazole
FS   3D CONCORD
MF   C10 H10 N2
CI   COM
LC   STN Files:   CA, CAPLUS, CASREACT, CHEMINFORMRX, IFICDB, IFIPAT, IFIUDB,
       TOXCENTER, USPATFULL
```



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

7 REFERENCES IN FILE CA (1907 TO DATE)
7 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	227.14	227.35

FILE 'CAPLUS' ENTERED AT 10:26:21 ON 12 SEP 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

FILE COVERS 1907 - 12 Sep 2006 VOL 145 ISS 12
FILE LAST UPDATED: 11 Sep 2006 (20060911/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l7
L8 7 L7

=> d bib abd 1-7 18
'ABD' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS --------- GI and AB
ALL --------- BIB, AB, IND, RE
APPS -------- AI, PRAI
BIB --------- AN, plus Bibliographic Data and PI table (default)
CAN --------- List of CA abstract numbers without answer numbers
CBIB -------- AN, plus Compressed Bibliographic Data

```
CLASS ------- IPC, NCL, ECLA, FTERM
DALL -------- ALL, delimited (end of each field identified)
DMAX -------- MAX, delimited for post-processing
FAM --------- AN, PI and PRAI in table, plus Patent Family data
FBIB -------- AN, BIB, plus Patent FAM
IND --------- Indexing data
IPC --------- International Patent Classifications
MAX --------- ALL, plus Patent FAM, RE
PATS -------- PI, SO
SAM --------- CC, SX, TI, ST, IT
SCAN -------- CC, SX, TI, ST, IT (random display, no answer numbers;
              SCAN must be entered on the same line as the DISPLAY,
              e.g., D SCAN or DISPLAY SCAN)
STD --------- BIB, CLASS

IABS -------- ABS, indented with text labels
IALL -------- ALL, indented with text labels
IBIB -------- BIB, indented with text labels
IMAX -------- MAX, indented with text labels
ISTD -------- STD, indented with text labels

OBIB -------- AN, plus Bibliographic Data (original)
OIBIB ------- OBIB, indented with text labels

SBIB -------- BIB, no citations
SIBIB ------- IBIB, no citations

HIT --------- Fields containing hit terms
HITIND ------ IC, ICA, ICI, NCL, CC and index field (ST and IT)
              containing hit terms
HITRN ------- HIT RN and its text modification
HITSTR ------ HIT RN, its text modification, its CA index name, and
              its structure diagram
HITSEQ ------ HIT RN, its text modification, its CA index name, its
              structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
              its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
              structure diagram, plus NTE and SEQ fields
KWIC -------- Hit term plus 20 words on either side
OCC --------- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field
codes.  For a list of the display field codes, enter HELP DFIELDS at
an arrow prompt (=>).  Examples of formats include: TI; TI,AU; BIB,ST;
TI,IND; TI,SO.  You may specify the format fields in any order and the
information will be displayed in the same order as the format
specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR,
FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC
to view a specified Accession Number.
ENTER DISPLAY FORMAT (BIB):end

=> d bib abs 1-7 18

L8   ANSWER 1 OF 7  CAPLUS  COPYRIGHT 2006 ACS on STN
AN   2005:147825  CAPLUS
DN   142:392521
```

TI Bitopic Phenylene-Linked Bis(pyrazolyl)methane Ligands: Preparation and Supramolecular Structures of Hetero- and Homobimetallic Complexes Incorporating Organoplatinum(II) and Tricarbonylrhenium(I) Centers
AU Reger, Daniel L.; Watson, Russell P.; Smith, Mark D.; Pellechia, Perry J.
CS Department of Chemistry and Biochemistry, University of South Carolina, Columbia, SC, 29208, USA
SO Organometallics (2005), 24(7), 1544-1555
CODEN: ORGND7; ISSN: 0276-7333
PB American Chemical Society
DT Journal
LA English
OS CASREACT 142:392521
AB New fixed-geometry, phenylene-linked bis(pyrazolyl)methane ligands α,α,α',α'-tetra(1-pyrazolyl)-m-xylene (m-[CH(pz)2]2C6H4, Lm), α,α,α',α'-tetra(1-pyrazolyl)-p-xylene (p-[CH(pz)2]2C6H4, Lp), and α,α,α',α'-tetrakis(4-benzylpyrazol-1-yl)-p-xylene (p-[CH(4Bnpz)2]2C6H4, 4BnLp) have been synthesized in order to prepare hetero- and homobimetallic complexes incorporating tricarbonylrhenium(I) and bis(p-tolyl)platinum(II) fragments. Coordination of one rhenium center to Lm was achieved to yield the monometallic rhenium complex {m-[CH(pz)2]2C6H4}Re(CO)3Br, which then incorporated a second metal center to give the heterobimetallic complex {μ-m-[CH(pz)2]2C6H4}[Re(CO)3Br][Pt(p-tolyl)2]. The homobimetallic rhenium complexes of each ligand, {μ-m-[CH(pz)2]2C6H4}[Re(CO)3Br]2, {μ-p-[CH(pz)2]2C6H4}[Re(CO)3Br]2, and {μ-p-[CH(4Bnpz)2]2C6H4}[Re(CO)3Br]2, were also prepared The crystalline structure of each complex shows extensive noncovalent interactions, including weak hydrogen bonds and π···π and CH···π interactions, that organize the mols. into complex supramol. structures.
RE.CNT 60 THERE ARE 60 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1994:106852 CAPLUS
DN 120:106852
TI Synthesis of 4-alkylpyrazoles from 3,5-diaminopyrazoles
AU Echevarria, Aurea; Elguero, Jose; Yranzo, Gloria I.; Diez-Barra, Enrique; de la Hoz, Antonio; Moreno, Andres; Garcia-Martin, Miguel Angel
CS Inst. Quim. Med., CSIC, Madrid, E-28006, Spain
SO Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) (1993), (18), 2229-32
CODEN: JCPRB4; ISSN: 0300-922X
DT Journal
LA English
OS CASREACT 120:106852
AB The possibility of preparing 4-alkylpyrazoles from malononitrile (through C-alkyl malononitriles and 3,5-diamino-4-alkylpyrazoles) has been explored. Although some difficulties arise in the double-deamination step, the method has allowed the synthesis of 4-benzyl- and 4-phenethylpyrazoles. New 3-halopyrazoles have also been prepared The synthesis of 3,5-diamino-4-iodopyrazole is reported. This elusive compound has a 13C NMR spectrum in which in aromatic carbon (C-4) appears at δ 29.53.

L8 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1993:517171 CAPLUS
DN 119:117171
TI Synthesis of 4-benzylpyrazoles from monobenzylmalononitrile

10/523,820

AU Echevarria, Aurea; Elguero, Jose
CS Inst. Quim. Med., CSIC, Madrid, E-28006, Spain
SO Synthetic Communications (1993), 23(7), 925-30
CODEN: SYNCAV; ISSN: 0039-7911
DT Journal
LA English
OS CASREACT 119:117171
GI



I



II

AB Hitherto unknown 4-benzylpyrazoles can be prepared in three steps by monobenzylation of malononitrile, reaction with hydrazines to form 3,5-diamino-4-benzylpyrazoles, followed by double deamination. Thus, PhCH2CH(CN)2 cyclocondensed with MeNHNH2 in refluxing EtOH to give 1-methyl-2,5-diamino-4-benzylpyrazole (I), which was treated with 50% aqueous hypophosphorous acid and NaNO2 to give 4-benzyl-1-methylpyrazole (II).

L8 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1987:426838 CAPLUS
DN 107:26838
TI Anti-corrosion composition
IN Hwa, Chih M.; Mitchell, Wayne A.
PA W. R. Grace and Co., USA
SO U.S., 4 pp.
CODEN: USXXAM
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 4649025	A	19870310	US 1985-776311	19850916
	ZA 8606609	A	19871028	ZA 1986-6609	19860901
	JP 62067184	A2	19870326	JP 1986-212837	19860911
	ES 2001960	A6	19880701	ES 1986-1847	19860912
	AU 8662668	A1	19870319	AU 1986-62668	19860915
	CA 1294421	A1	19920121	CA 1986-518164	19860915
	EP 215670	A2	19870325	EP 1986-307124	19860916
	EP 215670	A3	19880127		
	EP 215670	B1	19900314		
	R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
	AT 51041	E	19900315	AT 1986-307124	19860916
PRAI	US 1985-776311	A	19850916		
	EP 1986-307124	A	19860916		

AB Corrosion of Fe-based alloys in a circulating water is decreased by a synergistic inhibitor mixture containing (a) 1-hydroxyethane-1,1-bis(phosphoric acid) (I) or its water-soluble salts, (b) hydroxyphosphonoacetic acid (II) or its water-soluble salts, and optionally (c) an azole compound The corrosion inhibitor in water is preferably 5-200 ppm of I and II compds. with optional 0.4-50 ppm azole compound, and replaces conventional chromate inhibitors to prevent water pollution. The water is suitable for heat

exchangers and cooling. Specimens of SAE 1010 steel were immersed 3 days in hard water at 130° F, pH 8.0-8.5, and flow rate 2 ft/s (or much slower in a tank). The corrosion rate was 5.6 mil/yr when the inhibitor contained 5 ppm each of I and II and 1.94 ppm Na tolyltriazole (III); 8.1 mil/yr at 10 ppm II and 1.94 ppm III; 15.5 mil/yr at 10 ppm I and 1.94 ppm III; and 87.5 mil/yr without the inhibitor.

L8 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1984:525690 CAPLUS
DN 101:125690
TI 4-Substituted pyrazoles as inhibitors of liver alcohol dehydrogenase. Structure-activity relationships
AU Tolf, Bo Ragnar; Dahlbom, Richard; Akeson, Ake; Theorell, Hugo
CS Biomed. Cent., Univ. Uppsala, Uppsala, S-751 23, Swed.
SO Biol. Act. Princ. Nat. Prod. (1984), 265-77. Editor(s): Voelter, Wolfgang; Daves, Doyle G. Publisher: Thieme, Stuttgart, Fed. Rep. Ger. CODEN: 51TMAX
DT Conference
LA English
GI



I

AB Pyrazole (I) derivs. with various substituents in the 4-position were synthesized and assayed for in vitro inhibition of horse liver alc. dehydrogenase (LADH). Substitution with n-alkyl groups conferred a very high inhibitory activity to the I derivs. The relative inhibitory activities were correlated to the increase in lipophilicity of the substituent with increasing chain length. The compds. with branched alkyl groups or cycloalkyl groups were less active than the corresponding n-alkylpyrazoles, probably due to lowered lipophilicity and unfavorable steric interactions. The introduction of unsatd. substituents afforded compds. which displayed reduced inhibitory activity compared to the saturated analogs. Substitution of the I ring with substituents containing polar groups was, in several cases, detrimental to inhibitory activity, especially when the polar group was close to the I ring, apparently reflecting the hydrophobicity of the activity site pocket in the enzyme. However, the inhibitory activity was correlated to the lipophilicity of the substituent, allowing some of the compds. to be very active.

L8 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1982:406216 CAPLUS
DN 97:6216
TI Synthetic inhibitors of alcohol dehydrogenase. Pyrazoles containing an unsaturated hydrocarbon residue in the 4-position
AU Tolf, Bo Ragnar; Dahlbom, Richard; Theorell, Hugo; Aakeson, Aake
CS Biomed. Cent., Univ. Uppsala, Uppsala, S-751 23, Swed.
SO Acta Chemica Scandinavica, Series B: Organic Chemistry and Biochemistry (1982), B36(2), 101-7
CODEN: ACBOCV; ISSN: 0302-4369
DT Journal
LA English
GI



I

AB Fourteen pyrazoles I (R = C.tplbond.CH, C.tplbond.CBu, C.tplbond.CPh, CH:CH2, PhC:CH, CH2Ph, (CH2)3C.tplbond.CH, etc.; R1 = H) were prepared from I (R = iodo, R1 = 2,4,6-Me3C6H2) via I (R = CH2OH, C.tplbond.CBu, C.tplbond.CPh, R1 = 2,4,6-Me3C6H2) or from I [R = Br, R1 = H; R = HO(CH2)3, R1 = H]. I were tested for ability to inhibit the enzyme alc. dehydrogenase and were less active than the corresponding saturated analogs.

L8 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1978:516577 CAPLUS
DN 89:116577
TI Method and agent for protecting metals against corrosion
IN Menke, Russell Owen; Jacob, Jose T.; Hwa, Chih Ming
PA Chemed Corp., USA
SO Ger. Offen., 17 pp.
CODEN: GWXXBX
DT Patent
LA German
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 2720312	A1	19771201	DE 1977-2720312	19770506
	CA 1083335	A1	19800812	CA 1977-273347	19770307
	SE 7705155	A	19771111	SE 1977-5155	19770503
	NL 7704941	A	19771114	NL 1977-4941	19770505
	NL 177133	B	19850301		
	NL 177133	C	19850801		
	BE 854368	A1	19770901	BE 1977-177364	19770506
	FR 2362217	A1	19780317	FR 1977-13948	19770506
	FR 2362217	B1	19840511		
	JP 52135846	A2	19771114	JP 1977-52157	19770509
	ES 458602	A1	19780201	ES 1977-458602	19770509
	GB 1545182	A	19790502	GB 1977-19439	19770509
	US 4134959	A	19790116	US 1977-826009	19770819
PRAI	US 1976-685008	A	19760510		

AB Small amts. of an azole compound and of a water soluble phosphate are added to H2O to reduce metal corrosion. Thus, in an exptl. tank, 5 ppm 2-mercaptobenzothiazole [149-30-4] and 4.8 ppm Na-tripolyphosphate [7785-84-4] were added to water containing 714 ppm CaSO4.2aq., 519 MgSO4.7aq., 185 NaHCO3, 989 NaCl. Metallic specimens with 26.2 cm2 surface, were exposed to circulating H2O at 54° for 10 days. The addition reduced the corrosion rate for Al alloy AA 6061 [12616-75-0] from 249 to 10 μ/yr, for Cu and 43 to 5, for brass CDA 268 [55061-46-6] from 36 to 5, and for mild steel SAE 101/ [12725-33-6] from 298 to 159. Other azole compds. such as 4-benzylpyrazole [66948-38-7] or 2-Me-imidazole [693-98-1] may be used.

10/523,820

```
=> d his

     (FILE 'HOME' ENTERED AT 10:22:52 ON 12 SEP 2006)

     FILE 'REGISTRY' ENTERED AT 10:23:01 ON 12 SEP 2006
L1                STRUCTURE UPLOADED
L2             0 S L1 SSS SAM
L3             0 S L1 FULL
L4                STRUCTURE UPLOADED
L5            50 S L4 SSS SAM
L6             0 S L4 EXACT
L7             1 S L4 EXACT FULL

     FILE 'CAPLUS' ENTERED AT 10:26:21 ON 12 SEP 2006
L8             7 S L7
```

10/523,820

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1600txm

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	FEB 27	New STN AnaVist pricing effective March 1, 2006
NEWS	4	MAY 10	CA/CAplus enhanced with 1900-1906 U.S. patent records
NEWS	5	MAY 11	KOREAPAT updates resume
NEWS	6	MAY 19	Derwent World Patents Index to be reloaded and enhanced
NEWS	7	MAY 30	IPC 8 Rolled-up Core codes added to CA/CAplus and USPATFULL/USPAT2
NEWS	8	MAY 30	The F-Term thesaurus is now available in CA/CAplus
NEWS	9	JUN 02	The first reclassification of IPC codes now complete in INPADOC
NEWS	10	JUN 26	TULSA/TULSA2 reloaded and enhanced with new search and and display fields
NEWS	11	JUN 28	Price changes in full-text patent databases EPFULL and PCTFULL
NEWS	12	JUl 11	CHEMSAFE reloaded and enhanced
NEWS	13	JUl 14	FSTA enhanced with Japanese patents
NEWS	14	JUl 19	Coverage of Research Disclosure reinstated in DWPI
NEWS	15	AUG 09	INSPEC enhanced with 1898-1968 archive
NEWS	16	AUG 28	ADISCTI Reloaded and Enhanced
NEWS	17	AUG 30	CA(SM)/CAplus(SM) Austrian patent law changes
NEWS	18	SEP 11	CA/CAplus enhanced with more pre-1907 records

NEWS EXPRESS	JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.
NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8
NEWS X25	X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 10:22:52 ON 12 SEP 2006

McIntosh

```
=> file reg
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.21       0.21

FILE 'REGISTRY' ENTERED AT 10:23:01 ON 12 SEP 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:   11 SEP 2006  HIGHEST RN 906423-10-7
DICTIONARY FILE UPDATES:  11 SEP 2006  HIGHEST RN 906423-10-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10523820.str

L1      STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1              STR
```



G1 C,S

G2 Cb,Hy,Ak

Structure attributes must be viewed using STN Express query preparation.

```
=> s l1 sss sam
SAMPLE SEARCH INITIATED 10:23:31 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -        5 TO ITERATE

100.0% PROCESSED         5 ITERATIONS                                0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:            5 TO      234
PROJECTED ANSWERS:               0 TO        0

L2             0 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 10:23:47 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      124 TO ITERATE

100.0% PROCESSED       124 ITERATIONS                                0 ANSWERS
SEARCH TIME: 00.00.01

L3             0 SEA SSS FUL L1
```